



DAVID G. HENRY
DIRECT: 210.554.5500
EMAIL: dghenry@coxsmith.com

04-03-07
CSM
COX SMITH MATTHEWS
INCORPORATED
ATTORNEYS + COUNSELORS

DAC/TFW

REGISTERED PATENT ATTORNEY

April 2, 2007

Mail Stop PETITIONS
Commissioner for Patents
P. O. Box 1450
Alexandria, Virginia 22313-1450

Re: United States Patent Application
Serial No.: 10/810,346
Entitled: Stethoscope Cleansing Unit and Business Method for Providing
Advertising Through the Use of Stethoscope Cleansing Unit
Our Ref. No.: 30847.3

Dear Sir:

Enclosed please find the following for filing with the above-referenced U.S. Patent Application:

1. Petition for Revival of an Application for Patent Abandoned Unintentionally under 37 CFR 1.137(b) (2 sheets);
2. Change of Correspondence Address (1 sheet);
3. Response to Notice of Allowability (4 sheets);
4. Replacement Drawing Sheet (1 sheet);
5. Check in the amount of \$750.00; and
6. Acknowledgment postcard.

The Commissioner is authorized to charge any deficiency in fees for this submission or credit any overpayment to Deposit Account No. 03-3483.

Respectfully submitted,

/henry/

David G. Henry
Reg. No. 32,735

U.S. EXPRESS MAIL POST OFFICE TO ADDRESSEE
MAILING LABEL NO. EV417532891US
Date of Deposit: April 2, 2007

DGH/lah
Enclosures

cc: Mr. Court B. Allen [Firm] (w/o encls.)
Ms. Jamie M. Rose [Firm] (w/o encls.)